

Bale Spa Facial Massage Treatment Table Specifications Sheet



Spa & Equipment SKINACT

Toll Free: 1.800.418.0830

www.skinact.com
www.spaandequipment.com

International: 818.834.6640

NOTICE

No part of this document may be photocopied, reproduced, or translated into any other language without prior written consent of Spa and Equipment/SkinAct.

The information in this document is subject to change without notice at any time and should not be construed as a commitment by Spa and Equipment/SkinAct.

Spa and Equipment/SkinAct assumes no responsibility for any errors that may be in this document, nor does it make expressed or implied warranty with regard to this material, including, but not limited to, the implied warranties of merchantability and fitness for a particular purpose.

Spa and Equipment/SkinAct shall not be liable for incidental or consequential damages arising out of the furnishing, performance, or use of this document and the program material which it describes.




Toll Free: 1.800.418.0830

www.skinact.com
www.spaandequipment.com

International: 818.834.6640

Measurements



Adjustable
Height:
26"-34"


A vertical dimension line with arrows at both ends, indicating the adjustable height range of the table.



SKINACT

Spa & Equipment

Measurements



SKINACT

Spa & Equipment

Two Tilt Directions



SKINACT

Spa & Equipment

Highlights

Features:

- Durable White PU upholstery
- High-quality, ultra-soft, high-comfort padding
- Metal structure with natural wood finishing
- Completely adjustable with 5 electric motors that adjust the backrest angle, footrest angle, table height, forward tilt, and backward tilt
- Single block mattress with 2 powered movement sections - backrest and footrest
- Breather hole and armrests - ideal for use as a massage table

Specifications:

- Dimensions: 78.5"L x 30" W x 26"-34"H
- BASE ONLY Dimensions: 56"L x 23.5"W
- Motors: 5
- Voltage: 100V-120V
- Frequency: 50Hz/60Hz
- Max Client Weight: 450 lbs
- Weight: 220 lbs
- Upholstery: PU Leather
- Certification: CE

Warranty Information:
1-year warranty

