# Elegance Spa Massage Facial Bed, Table Specifications Sheet





Toll Free: 1.800.418.0830

www.skinact.com www.spaandequipment.com

International: 818.834.6640

#### NOTICE

No part of this document may be photocopied, reproduced, or translated into any other language without prior written consent of Spa and Equipment/SkinAct.

The information in this document is subject to change without notice at any time and should not be construed as a commitment by Spa and Equipment/SkinAct.

Spa and Equipment/SkinAct assumes no responsibility for any errors that may be in this document, nor does it make expressed or implied warranty with regard to this material, including, but not limited to, the implied warranties of merchantability and fitness for a particular purpose.

Spa and Equipment/SkinAct shall not be liable for incidental or consequential damages arising out of the furnishing, performance, or use of this document and the program material which it describes.













Toll Free: 1.800.418.0830

www.skinact.com www.spaandequipment.com

International: 818.834.6640

### **Measurements**








# **Measurements** 47" 64" **2**6'' 29" Shelf Dimensions: 57.5"L x 15"W \KIN\CT Spa\text{Equipment}

## **Measurements**









# **Highlights**

#### **Features:**

- Durable massage and facial table/chair
- Adjustable backrest
- Removable Face Cradle with adjustment capabilities (Face Cradle: provides smooth and easy adjustments)
- Upholstered in PVC vinyl material
- Not Assembled (see assembly instructions below)

#### **Specifications:**

- Back cushion adjustable from 0° flat to 75° incline
- Capacity of 350 lbs
- Colors Available: Black or White

#### **Dimensions:**

- Length: 88 inches with adjustable head rest
- Length: 76 inches without head rest
- Width: 29 inches
- Minimum Height: 23 inches
- Maximum Height: 31 inches
- Base Width: 26 inches
- Base Length: 64 inches
- Shelf: 57.5"L x 15"W
- Cushion Thickness: 3 inches
- \* All height measurements are from ground to top of cushion \*
- \*\* All measurements have a 0.25 to 0.75 inch tolerance \*\*

# Warranty Information: 1-year warranty

