Palermo Spa Facial Treatment Table Specifications Sheet





Toll Free: 1.800.418.0830

www.skinact.com www.spaandequipment.com

International: 818.834.6640

NOTICE

No part of this document may be photocopied, reproduced, or translated into any other language without prior written consent of Spa and Equipment/SkinAct.

The information in this document is subject to change without notice at any time and should not be construed as a commitment by Spa and Equipment/SkinAct.

Spa and Equipment/SkinAct assumes no responsibility for any errors that may be in this document, nor does it make expressed or implied warranty with regard to this material, including, but not limited to, the implied warranties of merchantability and fitness for a particular purpose.

Spa and Equipment/SkinAct shall not be liable for incidental or consequential damages arising out of the furnishing, performance, or use of this document and the program material which it describes.













Toll Free: 1.800.418.0830

www.skinact.com www.spaandequipment.com

International: 818.834.6640

Controls for the Palermo



*hand remote optional





Measurements





Measurements



Measurements





Highlights

Movements:

- Electric backrest angle, leg rest angle, height, and seat tilt adjustment
- Manual chair rotation, arm rests, head rest, and leg extension

Dimensions/Specifications:

- Length without leg rest or head rest attached: 59"
- Length with leg rest extension and head rest on: 74.5"
- Length with leg rest extension and head rest out: 80.5"
- Width without arm rests: 23"
- Width with arm rests: 33"
- Heights: 25" 37"
- BASE ONLY Dimensions: 37.5" L x 22.5" W in front: 27" W in back
- Backrest angle: 0° flat to 80° inclined
- Footrest angle: 0° flat to 85° declined
- Seat tilt angle: 0° to 10°
- Rotation: 150°
- Capacity of 350 lbs
- Colors available: Black or White
- * All height measurements are from ground to top of cushion *
- ** All measurements have a 0.25 to 0.75 inch tolerance **
 *** Hand remote control sold separately ***

Warranty Information:

1-year warranty

