Milo Electric Massage And Facial Bed Specifications Sheet





Toll Free: 1.800.418.0830

www.skinact.com www.spaandequipment.com

International: 818.834.6640

NOTICE

No part of this document may be photocopied, reproduced, or translated into any other language without prior written consent of Spa and Equipment/SkinAct.

The information in this document is subject to change without notice at any time and should not be construed as a commitment by Spa and Equipment/SkinAct.

Spa and Equipment/SkinAct assumes no responsibility for any errors that may be in this document, nor does it make expressed or implied warranty with regard to this material, including, but not limited to, the implied warranties of merchantability and fitness for a particular purpose.

Spa and Equipment/SkinAct shall not be liable for incidental or consequential damages arising out of the furnishing, performance, or use of this document and the program material which it describes.













Toll Free: 1.800.418.0830

www.skinact.com www.spaandequipment.com

International: 818.834.6640

Measurements

86" Long when flat W Face Cradle attached





Measurements 26" 46.5% 45'' 24'' 37" Spa Equipment

Optional Add-Ons







Highlights

Movements:

- Electric height adjustment
- Electric backrest/leg rest adjustment (Note: Backrest and leg rest move together at the same time)
- Manual removable face cradle
- Manual removable arm rests

Dimensions/Specifications:

- Length without face cradle attached: 76"
- Length with face cradle attached: 86"
- Width without arm rests: 27.5"
- Width with arm rests: 37"
- Heights: 25.5" 33"
- BASE ONLY Dimensions: 45"L x 24"W
- Backrest angle: 0° flat to 75° incline
- Weight: 180 lbs
- Capacity of 500 lbs
- Cushion thickness: 4"
- Colors available: Dark Brown or Beige: base is Dark Brown Wood
- Fully electric top is outfitted with vinyl and Milo proprietary "skin touch" padding
- * All height measurements are from ground to top of cushion *
- ** All measurements have a 0.25 to 0.75 inch tolerance **

Warranty Information:

1-year warranty

