

Malibu Electric Medical Spa Treatment Table Specifications Sheet



Spa & Equipment SKIN+ACT

Toll Free: 1.800.418.0830

www.skinact.com
www.spaandequipment.com

International: 818.834.6640

NOTICE

No part of this document may be photocopied, reproduced, or translated into any other language without prior written consent of Spa and Equipment/SkinAct.

The information in this document is subject to change without notice at any time and should not be construed as a commitment by Spa and Equipment/SkinAct.

Spa and Equipment/SkinAct assumes no responsibility for any errors that may be in this document, nor does it make expressed or implied warranty with regard to this material, including, but not limited to, the implied warranties of merchantability and fitness for a particular purpose.

Spa and Equipment/SkinAct shall not be liable for incidental or consequential damages arising out of the furnishing, performance, or use of this document and the program material which it describes.



Toll Free: 1.800.418.0830

www.skinact.com
www.spaandequipment.com

International: 818.834.6640

Motor Controls on the Malibu



Spa & Equipment SKIN+ACT

Measurements



Measurements



Highlights

Movements:

- Electric backrest angle adjustment
- Electric leg rest angle adjustment
- Electric height adjustment
- Electric seat tilt adjustment
- Manual chair rotation, removable arm rests, head rest extension, and leg rest extension

Dimensions/Specifications:

- Length with leg rest extension and head rest: 73"
- Length with both leg rest extension and head rest extended out: 83"
- Width without arm rests: 23"
- Width with arm rests: 33"
- Heights: 25" - 37"
- BASE ONLY Dimensions: 40" L x 31" W
- Backrest angle: 0° to 80° incline
- Leg rest angle: 0° to 85° decline
- Seat tilt angle: 0° to 10°
- Rotation: 0° to 240°
- Capacity of 350 lbs
- Colors available: Black or White

* All height measurements are from the ground to the top of the cushion *

** All measurements have a 0.25 to 0.75 inch tolerance **

*** Hand remote control sold separately ***

Warranty Information:

- 1-year warranty